

Remee Wire & Cable
 Florida, NY 10921
 Millend Listing 1-9-19

Item	New Desc	Length	Total for Item
147IMSA7B191MEB	14/7C STR BC NS PE PVC IMSA 19-1 BLK 1' RL		1,600
		300	
		400	
		600	
		300	
2P14OS/PLTCMEG	14/2P STR BC OAS PLTC GRAY 1' RL		2,470
		350	
		350	
		760	
		330	
		330	
		350	
5AE244STPMEO	CAT5E 24/4P STP CMR BLUE 1' RL		920
		920	
5BE234STPMEW	CAT5E 24/4P STP CMP WHT 1' RL		2,900
		700	
		700	
		600	
		900	
5BE244UTP/350MEW	CAT5E 24/4P UTP CMP WHT 1' RL		1,080
		700	
		380	
6BNSMEE	CAT6 UTP NOSPLINE CMP GRN 1' BX		10,368
		800	
		650	
		300	
		300	
		300	
		660	
		706	
		940	
		896	
		788	
		850	
		940	
		830	
		648	
		760	
6BNSMEO	CAT6 UTP NOSPLINE CMP BLUE 1' BX		920
		920	
6NPTPE234STPCPMEB	CAT6 23/4P UTP TPE BLK 1' RL SP PRT		3,090
		960	

				850	
				390	
				890	
6RF234STPMEY	CAT6 23/4P STP CMR YEL 1' RL				800
				800	
6UB234UTPMEY	CAT6A UTP CMP YEL 1' RL				700
				700	
6ZH234UTPENHMTAMEO	CAT6 UTP LSZH CM-LS BLU 1' RL				8,410
				740	
				630	
				650	
				900	
				400	
				920	
				930	
				980	
				956	
				674	
				630	
725146MEW	14/4C STR BC NS CMP WHITE 1' RL				914
				914	
760120MER	12/2C SOL BC NS FPLP RED 1' RL				1,930
				850	
				430	
				650	
760140MER	14/2C SOL BC NS FPLP RED 1' RL				2,840
				800	
				840	
				800	
				400	
760141MER	14/2C SOL BC OAS FPLP RED 1' RL				900
				900	
760161MER	16/2C SOL BC OAS FPLP RED 1' RL				950
				800	
				950	
760180CMPALMEO	18/2C SOL BC NS FPLP BLU SPC PRT 1' RL				440
				440	
760180MER	18/2C SOL BC NS FPLP RED 1' RL				1,650
				400	
				450	
				800	
760181MER	18/2C SOL BC OAS FPLP RED 1' RL				770
				770	
CRES16111MEW	24/5P STR TC PVC WHT 1' RL				4,200
				900	
				930	
				850	
				300	

				870	
				350	
LUQSCPMWEO	22/2CSH 16/2CNS CMP WHT/BLU JKT 1' RL				2,654
				854	
				900	
				900	
LUREDPLMEO	18/4-7B 16/2-19B 18/2-7B BC CMP BLU 1' RL				2,350
				750	
				800	
				800	
MTA8008MEG	14/2C STR TC LSZH GRY/GRN 1' RL				900
				900	
NY12PUHMER	12/2P SOL BC NS NYLL5 150D RED 1' RL				860
				360	
				270	
				230	
NY144CSHMER	14/4C SOL BC OAS NYLL5 150D RED 1' RL				7,146
				390	
				800	
				860	
				530	
				630	
				830	
				330	
				700	
				720	
				446	
				910	
NY144CUHMER	14/4C SOL BC NS NYLL5 150D RED 1' RL				6,276
				430	
				372	
				384	
				700	
				300	
				750	
				800	
				680	
				600	
				440	
				820	
NY164CSHMER	16/4C SOL BC OAS NYLL5 150D RED 1' RL				8,492
				300	
				600	
				450	
				300	
				350	
				700	
				350	

				370	
				760	
				700	
				590	
				300	
				480	
				330	
				470	
				842	
				600	
NY164CUHMER	16/4C SOL BC NS NYLL5 150D RED 1' RL				3,060
				460	
				300	
				300	
				800	
				400	
				800	
NY512UHMER	12/2C SOL BC NS NYLL5 150D RED 1' RL				19,700
				750	
				300	
				360	
				400	
				450	
				714	
				330	
				428	
				790	
				650	
				718	
				750	
				700	
				600	
				684	
				410	
				700	
				776	
				750	
				600	
				400	
				850	
				800	
				760	
				740	
				720	
				850	
				830	
				350	
				700	

				840	
NY512UTMER	12/2C SOL BC NS NYLL5 200D RED 1' RL				6,854
				300	
				336	
				300	
				300	
				300	
				740	
				340	
				450	
				894	
				820	
				480	
				490	
				304	
				350	
				450	
NY512UTCMER	12/2C SOL TC NS NYLL5 200D RED 1' RL				800
				800	
NY514SHMER	14/2C SOL BC OAS NYLL5 150D RED 1' RL				40,952
				670	
				350	
				300	
				400	
				400	
				370	
				750	
				350	
				400	
				350	
				300	
				300	
				300	
				400	
				400	
				380	
				340	
				640	
				400	
				330	
				370	
				390	
				340	
				380	
				730	
				350	
				330	
				340	

				750	
				770	
				780	
				710	
				390	
				446	
				400	
				386	
				714	
				720	
				400	
				400	
				650	
				656	
				712	
				700	
				380	
				380	
				340	
				300	
				630	
				450	
				300	
				400	
				300	
				450	
				300	
				300	
				300	
				458	
				378	
				300	
				644	
				300	
				460	
				400	
				700	
				300	
				400	
				700	
				600	
				300	
				300	
				650	
				730	
				404	
				460	
				400	

				530	
				450	
				600	
				884	
				630	
				600	
				700	
				420	
				780	
				700	
NY514STMER	14/2C SOL BC OAS NYLL5 200D RED 1' RL				1,500
				400	
				800	
				300	
NY514UHMER	14/2C SOL BC NS NYLL5 150D RED 1' RL				124,232
				350	
				300	
				300	
				300	
				300	
				350	
				350	
				300	
				300	
				350	
				300	
				300	
				300	
				350	
				330	
				300	
				370	
				340	
				330	
				320	
				300	
				300	
				330	
				300	
				305	
				360	
				350	
				300	
				370	
				320	
				340	
				390	
				360	

				300	
				320	
				318	
				382	
				350	
				350	
				300	
				300	
				370	
				300	
				390	
				300	
				330	
				300	
				300	
				300	
				750	
				800	
				450	
				400	
				320	
				300	
				700	
				370	
				300	
				710	
				400	
				700	
				780	
				760	
				730	
				864	
				300	
				300	
				300	
				450	
				512	
				730	
				430	
				400	
				780	
				700	
				350	
				700	
				400	
				475	
				350	
				700	

				300	
				400	
				380	
				400	
				630	
				640	
				360	
				765	
				400	
				480	
				670	
				720	
				300	
				400	
				303	
				300	
				700	
				430	
				700	
				630	
				300	
				630	
				320	
				460	
				310	
				400	
				400	
				430	
				440	
				414	
				780	
				450	
				300	
				312	
				300	
				660	
				630	
				300	
				300	
				400	
				650	
				450	
				780	
				700	
				390	
				400	
				380	
				310	

				360	
				760	
				300	
				400	
				460	
				400	
				400	
				330	
				360	
				430	
				700	
				662	
				700	
				630	
				330	
				630	
				700	
				360	
				788	
				300	
				640	
				350	
				304	
				720	
				820	
				680	
				350	
				380	
				400	
				600	
				700	
				760	
				650	
				360	
				462	
				702	
				400	
				340	
				350	
				450	
				320	
				450	
				864	
				430	
				300	
				810	
				780	
				630	

				802	
				700	
				744	
				340	
				340	
				650	
				800	
				700	
				400	
				770	
				800	
				450	
				390	
				800	
				750	
				650	
				700	
				300	
				624	
				750	
				760	
				700	
				600	
				700	
				450	
				300	
				732	
				632	
				670	
				360	
				670	
				800	
				650	
				330	
				400	
				600	
				630	
				700	
				400	
				820	
				644	
				300	
				400	
				850	
				860	
				162	
				840	
				450	

				350	
				860	
				690	
				400	
				770	
				386	
				450	
				320	
				620	
				830	
				400	
				800	
				428	
				800	
				616	
				930	
				760	
				880	
				826	
				810	
				892	
				422	
				430	
NY514UTMER	14/2C SOL BC NS NYLL5 200D RED 1' RL				15,354
				400	
				300	
				360	
				120	
				720	
				620	
				700	
				860	
				300	
				750	
				480	
				540	
				950	
				600	
				850	
				368	
				700	
				800	
				850	
				330	
				580	
				400	
				400	
				470	

				706	
				900	
				300	
NY514UTTCMER	14/2C SOL TC NS NYLL5 200D RED 1' RL				380
				380	
NY516SHMER	16/1P SOL BC OAS NYLL5 150D RED 1' RL				71,225
				330	
				300	
				300	
				300	
				360	
				700	
				300	
				850	
				310	
				340	
				300	
				300	
				396	
				460	
				390	
				650	
				800	
				390	
				480	
				340	
				630	
				400	
				360	
				430	
				390	
				400	
				800	
				680	
				450	
				435	
				350	
				390	
				350	
				350	
				408	
				420	
				730	
				350	
				480	
				300	
				700	
				1,398	

				602	
				900	
				310	
				470	
				360	
				600	
				630	
				460	
				750	
				640	
				350	
				490	
				400	
				470	
				350	
				450	
				320	
				400	
				438	
				420	
				328	
				340	
				80	
				450	
				800	
				750	
				600	
				600	
				456	
				346	
				400	
				340	
				350	
				650	
				600	
				600	
				450	
				450	
				400	
				700	
				374	
				624	
				300	
				520	
				780	
				622	
				600	
				770	

				450	
				824	
				726	
				300	
				300	
				370	
				690	
				460	
				740	
				440	
				570	
				680	
				510	
				320	
				600	
				600	
				800	
				400	
				450	
				300	
				360	
				750	
				900	
				530	
				532	
				300	
				344	
				538	
				850	
				486	
				676	
				560	
				700	
				730	
				550	
				700	
				520	
				400	
				550	
				300	
				380	
				800	
				400	
				600	
				580	
				800	
				400	
				702	

				450	
				420	
NY516STMER	16/1P SOL BC OAS NYLL5 200D RED 1' RL				8,150
				700	
				350	
				350	
				400	
				400	
				430	
				380	
				700	
				400	
				600	
				350	
				700	
				480	
				700	
				600	
				610	
NY516UHMER	16/1P SOL BC NS NYLL5 150D RED 1' RL				107,392
				390	
				340	
				300	
				300	
				700	
				300	
				300	
				300	
				300	
				300	
				300	
				380	
				350	
				350	
				384	
				640	
				340	
				390	
				300	
				400	
				326	
				440	
				400	
				400	
				400	
				800	
				720	
				350	
				340	

				800	
				380	
				300	
				380	
				320	
				360	
				360	
				836	
				690	
				400	
				370	
				370	
				360	
				360	
				730	
				370	
				650	
				710	
				450	
				710	
				698	
				720	
				820	
				650	
				750	
				340	
				800	
				400	
				400	
				400	
				740	
				344	
				300	
				420	
				840	
				700	
				860	
				380	
				750	
				310	
				300	
				400	
				350	
				300	
				330	
				360	
				700	
				600	

				627	
				730	
				590	
				800	
				254	
				680	
				820	
				430	
				750	
				730	
				670	
				450	
				856	
				300	
				420	
				670	
				400	
				850	
				700	
				350	
				300	
				320	
				300	
				350	
				634	
				700	
				940	
				780	
				728	
				900	
				770	
				744	
				710	
				800	
				770	
				670	
				690	
				800	
				770	
				800	
				780	
				400	
				778	
				760	
				858	
				700	
				516	
				300	

				340	
				400	
				300	
				700	
				600	
				320	
				400	
				810	
				900	
				880	
				370	
				540	
				700	
				600	
				440	
				660	
				315	
				800	
				450	
				570	
				720	
				920	
				580	
				750	
				522	
				470	
				550	
				528	
				300	
				440	
				600	
				440	
				484	
				300	
				300	
				660	
				600	
				450	
				880	
				890	
				800	
				800	
				450	
				450	
				700	
				540	
				530	
				530	

				600	
				400	
				800	
				650	
				534	
				600	
				880	
				900	
				800	
				600	
				320	
				770	
				890	
				370	
				370	
				520	
				700	
				638	
				450	
				438	
				460	
				770	
NY516UTMER	16/1P SOL BC NS NYLL5 200D RED 1' RL				9,225
				880	
				900	
				440	
				830	
				75	
				870	
				800	
				340	
				700	
				890	
				700	
				920	
				880	
Q001522MEB	RG59 95% BC BRAID PVC MILC17 BLK 1' RL				3,500
				920	
				930	
				920	
				730	
R001587/1706MEZ	RG11U 60% AL BRAID FLD OSP ORG 1' RL				55,634
				930	
				870	
				480	
				830	
				350	
				860	

				930	
				800	
				740	
				880	
				700	
				850	
				850	
				888	
				900	
				750	
				700	
				900	
				800	
				600	
				750	
				900	
				800	
				766	
				900	
				440	
				800	
				440	
				900	
				860	
				850	
				420	
				640	
				320	
				440	
				800	
				900	
				450	
				400	
				920	
				870	
				420	
				480	
				300	
				370	
				400	
				900	
				800	
				900	
				960	
				790	
				780	
				800	
				950	

			980	
			880	
			480	
			800	
			750	
			800	
			800	
			600	
			800	
			750	
			700	
			930	
			900	
			380	
			780	
			900	
			480	
			400	
			330	
			670	
			870	
			930	
			400	
			300	
R001700/77MEB	RG6U 77% AL BRAID CM BLK 1' RL			3,300
			900	
			900	
			700	
			800	
R001700MEB	RG6U 60% AL BRAID CM BLK 1' RL			2,626
			790	
			936	
			890	
			900	
R001701MEZ	RG6U 60% AL BRAID FLD OSP ORG 1' RL			900
			900	
R001707MEB	RG11U 60% AL BRAID MESS BLK 1' RL			780
			780	
R002955FASMER	18/5C SOL BC NS FPLR CSA RED 1' RL			700
			700	
R002955SFASMER	18/5C SOL BC OAS FPLR CSA RED 1' RL			25,584
			9,840	
			15,744	
R00308MER	14/4C SOL BC OAS FPLR RED 1' RL			6,430
			770	
			840	
			700	
			840	

				900	
				830	
				700	
				850	
R00317MER	12/2C SOL BC NS FPLR RED 1' RL				850
				850	
RMMJ1X6AOSP1006OSPMEB	1XCAT6 OSP WBT&1X18/2NS WBT PE 1' RL				900
				900	
RMMJ3X5AE1X1564WMEO	3XCAT5&1XRG6U QUAD CMR BLUE 1' RL				660
				660	
RMMJ5AE3501564ASMEO	2XCAT5 2XRG6U QUAD CMR BLUE 1' RL SPCPR				2,870
				460	
				440	
				370	
				440	
				390	
				370	
				400	
ZM2C18MEB	18/2C STR BC NS LSZH VW1 BLK 1' RL				350
				350	